

73049-344

06/24/2013

1/12



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Nasser Assaf
Valent BioSciences Corp.
870 Technology Way
Libertyville, IL 60048

6-24-13

Subject: Amended Reregistration Label
Product Name: PYRAPERM Industrial Insect Killer WBA P60
EPA Registration Number: 73049-344

Dear Mr. Assaf:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the pyrethrin, permethrin, and pbo RED(s), and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

A copy of your label stamped "Accepted" is enclosed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

Page 2

EPA Reg. 73049-344

If you have any questions about this letter, please contact either Erik Kraft at (703-308-9358) or via email at Kraft.Erik@epa.gov or Richard J. Gebken at (703) 305-6701 or via e-mail at Gebken.Richard@epa.gov.

Sincerely yours,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

PYRAPERM®

INDUSTRIAL INSECT KILLER WBA P60

- *[Indented for Residential Use]*
- *Contains Pyrenone® And Permanone®*
- *Seeks Out Bugs Where They Hide*
- *Kills On Contact*
- *A Broad Spectrum Insecticide Highly Effective Against Ants, (Including Carpenter Ants), Bees, Beetles (Including Carpet, Flour, Grain, And Ground Beetles), Centipedes, Clover Mites, Cockroaches, Crickets (Including Mole Crickets), Earwigs, Firebrats, Fleas, Millipedes, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Wasps, And Other Pests Listed On The Label*
- *Kills Lice And Their Eggs*
- *For Use On Bedding, Furniture And Other Inanimate Objects Infested With Lice*
- *Non-Staining*
- *No Unpleasant Odor*
- *Water-Based Formula*
- *For Use On Premises To Control Fleas And Ticks*
- *Protects For Up To 4 Weeks*
- *Protects For Up To 12 Weeks*
- *Protects For Up To 3 Months*

ACTIVE INGREDIENTS:


Pyrethrins.....	0.15%
Piperonyl Butoxide*.....	0.75%
Permethrin**.....	0.30%

OTHER INGREDIENTS†: 98.80%
100.00%

* (butyl carbityl)(6-propylpiperonyl) ether and related compounds.

**Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

†Contains Petroleum Distillate



PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente. **(TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-344

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-877-315-9819.	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

See Side/Back Panel For Additional Precautions

NET WEIGHT:

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Harmful if swallowed. Wear long sleeved shirt and long pants, socks and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

[Products used exclusively indoors may omit the Environmental Hazards Statement.]

[Environmental Hazards]

[This product is toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment, washwater or rinsate. See Directions for Use for additional precautions and requirements.]

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.]

Physical and Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use on electrical equipment or on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

- [Except when applying to [livestock] [or to clothing], do not enter or allow adults, children, or pets to enter until vapors, mists and aerosols have dispersed, sprays have dried and the treated area has been thoroughly ventilated.
- [Except when applying to [livestock] [or to clothing],] do not apply this product in a way that will contact adult, children or pets, either directly or through drift.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mist have dispersed.
- Do not wet plants to point of runoff or drip.
- Do not wet articles to point of runoff or drip. Do not use treated article until spray has dried.
- Dry clean treated clothes before wearing.
- Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- *[Alternate text – outdoor application:*
 - All outdoor applications must be limited to spot or crack-and-crevice treatments only except for the following permitted uses:
 - 1) Treatment to soil or vegetation around structures
 - 2) Applications to lawns, turf, and other vegetation
 - All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications, only.
 - Do not water the treated area to the point of run-off.
 - Do not make applications during rain.]
- Not for use in outdoor residential misting systems.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing surfaces and equipment, should be covered during treatment or thoroughly washed before use.

73049-344

Master Label
Homeowner/ResidentialJune 24, 2013
Page 3 of 10**SHAKE WELL BEFORE USING**

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

When treating surfaces and fabrics where water alone could stain, spray in an inconspicuous area to test for possible staining or discoloration.

INDOORS:

Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Sweep up and discard fallen insects.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

Ants: Spray trails, nests and points of entry. Spray on ants where possible.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment.

EXPOSED STAGES OF Confused Flour Beetles, Cigarette Beetles, Drug Store Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites in Exposed Adult and Larvae Stages: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Contact as many insects as possible. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Space spray: Spray 20 seconds per 1000 cu. ft. of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Dispose of infested stored food products or treat using an approved product intended for this purpose.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors.

TO CONTROL Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

Fleas IN BUILDINGS - SPACE SPRAY: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes.

Fleas & Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture and mattresses may also be treated with this product.

TO KILL Lice and Louse Eggs: Spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned.

IN ANIMAL QUARTERS: For rapid control of *Houseflies*, *Mosquitoes*, *Gnats*, *Wasps*, *Hornets*, *Bees* and *Small Flying Moths*, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying.

TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of *Stable Flies*, *Horse Flies*, *Deer Flies*, *Face Flies*, *Houseflies*, *Horn Flies*, *Mosquitoes*, and *Gnats*: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from *Face Flies*, spray the face and head, but do not spray into eyes.

FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.

TO CONTROL *Blood-Sucking Lice*: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair.

TO CONTROL *Poultry Lice*: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

FOR CONTROL OF *Bedbugs* and *Mites* in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: *Flies*, *Mosquitoes*, *Gnats*, *Small Flying Moths*, *Hornets* and *Yellow Jackets*. Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles.

***Mud Daubers* and *Wasp Nests*:** Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Apply in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

CRAWLING INSECTS: *Ants*, *Cockroaches*, including *Asian Cockroaches*, *Crickets*, *Mole Crickets*, *Centipedes* and *Silverfish*. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry area away from heat or open flame. Do not transport or store below 32°F. [Protect from freezing.] [Do not freeze.] [Do not transport or store below 32°F.]

Pesticide Disposal and Container Handling: Do Not Puncture or Incinerate! *If empty:* Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions.

[This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.]

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND

7/12

73049-344

Master Label
Homeowner/Residential

June 24, 2013
Page 5 of 10

BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

[Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]

© Valent BioSciences Corporation, 2013

PyraPerm is a registered trademark of Valent BioSciences Corporation.
Pyrenone and Permanone are registered trademarks of Bayer AG.

Valent BioSciences Corporation
Environmental Science Division
870 Technology Way
Libertyville, IL 60048
02-0752/R3

PYRAPERM®**INDUSTRIAL INSECT KILLER WBA P60**

- *[Can Be Used In Non-Food/Feed Areas Of Food/Feed Processing Plants And Official Establishments Operating Under The Meat, Poultry, Shell Egg Grading And Egg Products Inspection Programs]*
- *Contains Pyrenone® And Permanone®*
- *Seeks Out Bugs Where They Hide*
- *Kills On Contact*
- *Controls Industrial Insects*
- *For Commercial/Agricultural Use*
- *A Broad Spectrum Insecticide Highly Effective Against Ants, (Including Carpenter Ants), Bees, Beetles (Including Carpet, Flour, Grain, And Ground Beetles), Centipedes, Clover Mites, Cockroaches, Crickets (Including Mole Crickets), Earwigs, Firebrats, Fleas, Millipedes, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Wasps, And Other Pests Listed On The Label*
- *Kills Lice And Their Eggs*
- *For Use On Bedding, Furniture And Other Inanimate Objects Infested With Lice*
- *Non-Staining*
- *No Unpleasant Odor*
- *Water-Based Formula*
- *For Use On Premises To Control Fleas And Ticks*
- *Protects For Up To 4 Weeks*
- *Protects For Up To 12 Weeks*
- *Protects For Up To 3 Months]*

ACTIVE INGREDIENTS:

Pyrethrins	0.15%
Piperonyl Butoxide*	0.75%
Permethrin**	0.30%

OTHER INGREDIENTS†:	98.80%
	100.00%

* (butyl carbityl)(6-propylpiperonyl) ether and related compounds.

**Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

†Contains Petroleum Distillate

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente. **(TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-344

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-877-315-9819.	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

See Side/Back Panel For Additional Precautions

NET WEIGHT:

PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals**CAUTION**

Harmful if swallowed.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers, must wear the following:

- Long-sleeved shirt
- Long pants
- Shoes plus socks

User Safety Requirements:

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exit, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside and after handling this product. As soon as possible wash thoroughly and put on clean clothing. Wash the outside of gloves before removing.

[Products used exclusively indoors may omit the Environmental Hazards Statement.]

[Environmental Hazards]

[This product is toxic to aquatic organisms, including fish and invertebrates. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to product runoff that contains this product.]

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high watermark. Do not contaminate water when disposing of equipment washwater.]

Physical and Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use on electrical equipment or on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

- [Except when applying to [livestock] [or to clothing], do not enter or allow others to enter until vapors, mists and aerosols have dispersed, sprays have dried and the treated area has been thoroughly ventilated.
- [Except when applying to [livestock] [or to clothing],] do not apply this product in a way that will contact [workers or] other persons, either directly or through drift. Only protected handlers may be in the area during applications.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mist have dispersed.
- Do not wet plants to point of runoff or drip.
- Do not wet articles to point of runoff or drip. Do not use treated article until spray has dried.
- Dry clean treated clothes before wearing.

- Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- *[Alternate text – outdoor application:*
 - All outdoor applications must be limited to spot or crack-and-crevice treatments only except for the following permitted uses:
 - 3) Treatment to soil or vegetation around structures
 - 4) Applications to lawns, turf, and other vegetation
 - All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications, only.
 - Do not water the treated area to the point of run-off.
 - Do not make applications during rain.]
- *[Alternate text: When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.]*
- Do not use in outdoor residential misting systems.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing surfaces and equipment, wash them before use.
- Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.
- May be applied in non-food/feed areas. Non-food/feed establishment areas are areas such as garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after canning or bottling).
- Commercial food/feed areas where the product cannot be used include areas for receiving, serving, storage (Dry, Cold, Frozen, Raw), packaging (Cleaning, Slicing, Cooking, Grinding), edible, waste storage, enclosed processing systems (Mills, Dairies, Edible Oils, Syrups).
- Do not use in aircraft cabins.]

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

When treating surfaces and fabrics where water alone could stain, spray in an inconspicuous area to test for possible staining or discoloration.

INDOORS:

Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Sweep up and discard fallen insects.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

Ants: Spray trails, nests and points of entry. Spray on ants where possible.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment.

EXPOSED STAGES OF *Confused Flour Beetles*, *Cigarette Beetles*, *Drug Store Beetles*, *Saw-Toothed Grain Beetles*, *Red Flour Beetles*, *Rice Weevils*, *Granary Weevils*, *Grain Mites in Exposed Adult and Larvae Stages*: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Contact as many insects as possible. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Space spray: Spray 20 seconds per 1000 cu. ft. of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Dispose of infested stored food products or treat using an approved product intended for this purpose.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors.

TO CONTROL *Clothes Moths* and *Carpet Beetles* on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

Fleas IN BUILDINGS - SPACE SPRAY: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes.

Fleas & Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture and mattresses may also be treated with this product.

TO KILL *Lice* and *Louse Eggs*: Spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of *Houseflies*, *Mosquitoes*, *Gnats*, *Wasps*, *Hornets*, *Bees* and *Small Flying Moths*, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying.

TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of *Stable Flies*, *Horse Flies*, *Deer Flies*, *Face Flies*, *Houseflies*, *Horn Flies*, *Mosquitoes*, and *Gnats*: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from *Face Flies*, spray the face and head, but do not spray into eyes.

FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.

TO CONTROL *Blood-Sucking Lice*: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair.

TO CONTROL *Poultry Lice*: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

FOR CONTROL OF *Bedbugs* and *Mites* in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: *Flies*, *Mosquitoes*, *Gnats*, *Small Flying Moths*, *Hornets* and *Yellow Jackets*. Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles.

Mud Daubers and Wasp Nests: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Apply in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

CRAWLING INSECTS: *Ants, Cockroaches*, including *Asian Cockroaches, Crickets, Mole Crickets, Centipedes* and *Silverfish*. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry area away from heat or open flame. Do not transport or store below 32°F. [Protect from freezing.] [Do not freeze.] [Do not transport or store below 32°F.]

Pesticide Disposal and Container Handling: Do Not Puncture or Incinerate! *If empty:* Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions.

[This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.]

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

[Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]

© Valent BioSciences Corporation, 2013

PyraPerm is a registered trademark of Valent BioSciences Corporation.

Pyrenone and Permanone are registered trademarks of Bayer AG.

Valent BioSciences Corporation
Environmental Science Division

870 Technology Way
Libertyville, IL 60048
02-0752/R3